

Bleach Germicidal Wipes



- ▶ EPA-registered to kill *C. diff* spores in 3 minutes*
- ▶ Proven efficacy against outbreak-causing viruses



Ready-to-Use Bleach Cleaner Disinfectant Wipes

Bleach technology to help you take control in an ever-changing environment



Proven Efficacy

- ▶ EPA-registered to kill 64 prevalent HAI-causing pathogens and outbreak-causing viruses.
- ▶ Kills *C. difficile* spores and *C. auris* in 3 minutes.*

Trusted by Healthcare Facilities

- ▶ Trusted by over 2,000 US hospitals as part of their infection control protocols.¹
- ▶ More than 25 peer-reviewed articles cite bleach-based disinfection protocols as key components of infection prevention strategies.

Optimized for Extended Usage²

- ▶ Compatible with common healthcare surfaces including plastics and stainless steel.
- ▶ Recommended in medical equipment cleaning and care guides.

Clorox Healthcare® Bleach Germicidal Wipes at a Glance (EPA Reg. No. 67619-12)	
Active ingredient concentration	0.55% (5500 ppm) sodium hypochlorite (1:10 dilution of bleach)
<i>C. difficile</i> contact time	3 minutes
Kills outbreak-causing viruses?	Yes, in 1 minute
▶ Adenovirus type 2	
▶ Enterovirus D68	
▶ Influenza A and B viruses	
▶ MERS-CoV	
▶ Norovirus	Yes, in 30 seconds
▶ SARS-CoV-2	
Kills antibiotic-resistant bacteria?	Yes, in 30 seconds
▶ MRSA, VRE, CRE*	
Kills fungi? <i>C. auris</i> *	Yes, in 3 minutes
Signal word	Caution
HMIS rating	0-0-0-A
PPE required	Follow your facility's protocols

*Use as directed on hard, nonporous surfaces. Follow special instructions for cleaning prior to disinfection.

1. Analysis of Clorox Healthcare customer sales data, October 2021.

2. Use as directed on hard, nonporous surfaces. Consult medical equipment care and cleaning guides prior to selecting and using any surface disinfectant.

Clorox Healthcare® Bleach Germicidal Wipes (EPA Reg. No. 67619-12)

Effective against	Kill Time
Spore-forming bacteria	
<i>Clostridioides difficile</i>	3 min
Bacteria	
<i>Acinetobacter baumannii</i>	30 sec
<i>Bordetella pertussis</i>	30 sec
<i>Campylobacter jejuni</i>	30 sec
<i>Enterobacter cloacae</i>	30 sec
<i>Enterococcus faecalis</i> (VRE) (Vancomycin-resistant)	30 sec
<i>Enterococcus faecium</i> (MDR) (Multidrug-resistant)	30 sec
<i>Enterococcus hirae</i>	30 sec
<i>Escherichia coli</i>	30 sec
<i>Escherichia coli</i> O157:H7	30 sec
<i>Escherichia coli</i> ESBL	30 sec
<i>Escherichia coli</i> (NDM-1)	30 sec
<i>Klebsiella aerogenes</i>	30 sec
<i>Klebsiella pneumoniae</i>	30 sec
<i>Klebsiella pneumoniae</i> ESBL	30 sec
<i>Klebsiella pneumoniae</i> (CRE) (Carbapenem-resistant)	30 sec
<i>Klebsiella pneumoniae</i> New Delhi Metallo-Beta Lactamase-1 (NDM-1)	30 sec
<i>Legionella pneumophila</i>	30 sec
<i>Listeria monocytogenes</i>	30 sec
<i>Proteus mirabilis</i>	30 sec
<i>Pseudomonas aeruginosa</i>	30 sec
<i>Salmonella enterica</i>	30 sec
<i>Salmonella typhi</i>	30 sec
<i>Serratia marcescens</i>	30 sec
<i>Shigella dysenteriae</i>	30 sec
<i>Staphylococcus aureus</i>	30 sec
<i>Staphylococcus aureus</i> (LRSA) (Linezolid-resistant)	30 sec
<i>Staphylococcus aureus</i> (MRSA) (Methicillin-resistant)	30 sec
<i>Staphylococcus aureus</i> (CA-MRSA) (Community-associated Methicillin-resistant) (USA 300 and USA 400)	30 sec
<i>Staphylococcus aureus</i> (VRSA) (Vancomycin-resistant)	30 sec
<i>Staphylococcus aureus</i> (VISA) (Vancomycin-intermediate-resistant)	30 sec
<i>Staphylococcus epidermidis</i> (CoNS)	30 sec
<i>Streptococcus pneumoniae</i>	30 sec
<i>Streptococcus pyogenes</i>	30 sec
Viruses	
Adenovirus Type 2	1 min
Avian Influenza A Virus	1 min
Canine Parvovirus	3 min
Enterovirus Type D68	1 min
Feline Panleukopenia Virus	3 min
Hepatitis A Virus (HAV)	1 min
Hepatitis B Virus (HBV) [†]	1 min
Hepatitis C Virus (HCV) [†]	1 min
Herpes Simplex Virus Type 2	1 min
Human Coronavirus	1 min
Human Immunodeficiency Virus Type 1 (HIV-1)	30 sec
Influenza A Virus	1 min
Influenza A H1N1	30 sec
Influenza B Virus	1 min
Measles Virus	1 min
Middle East Respiratory Syndrome Coronavirus (MERS-CoV)	1 min
Norovirus [†]	1 min
Poliovirus Type 1	1 min
Respiratory Syncytial Virus (RSV)	1 min
Rhinovirus	1 min
Rotavirus	1 min
Severe Acute Respiratory Syndrome-Associated Coronavirus (SARS-CoV)	1 min
SARS-CoV-2 (cause of COVID-19)	1 min

TB	
<i>Mycobacterium tuberculosis</i> (TB)	3 min
Fungi	
<i>Candida albicans</i>	3 min
<i>Candida auris</i>	3 min
<i>Candida glabrata</i>	3 min
<i>Trichophyton interdigitale</i> (Athlete's Foot Fungus)	3 min
TOTAL: 64 CLAIMS	
*Obtained via surrogate	

Available in multiple wipe sizes and formats to ensure the right tool for every disinfecting job

For Hard Surfaces



Clinical Wipes (6"x5")

Designed for: daily disinfection, high-touch surfaces and medical equipment
Item No. 30577, 150 ct. canister, 6/case



Multi-Purpose Wipes (6.75"x9")

Designed for: daily disinfection, patient room surfaces and medical equipment
Item No. 35309, 70 ct. canister, 6/case
Item No. 32621, 100 ct. soft pack, 6/case
Item No. 31424, 50 ct. carton, 6/case



Terminal Wipes (12"x12")

Designed for: discharge disinfection, large areas
Item No. 30358, 110 ct. bucket, 2/case
Item No. 30359, 110 ct. refill, 2/case



For product resources and implementation tools, contact your Clorox sales representative or Call: 1-800-234-7700 Visit: www.CloroxHealthcare.com

© 2022 Clorox Professional Products Company, 1221 Broadway, Oakland, CA 94612.