



ProGuard[®]
by **impact**

**PROTECTIVE
EYEWEAR**



ProGuard[®] **CLASSIC**

The **ProGuard Classic** line provides **traditional** lens variations that never go out of style. This line is designed to provide excellent **durability** and protection. These lenses are **utilitarian** and offer compliance across a broad range of activities.

ProGuard® 801 Series - Safety Glasses

Wrap-around design and scratch resistant polycarbonate lens.

- Adjustable lock-in temples; one size fits all
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
7334B	Clear Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
7334BA	Clear Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 7334B

ProGuard® 803 Series - Safety Glasses

100% polycarbonate, vented side shield to reduce fogging.

- Wrap-around design will fit over most prescription lenses; one size fits all
- Lenses provide 99.9% UV protection, ProGuard imprint
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
7332	Clear Hard Coat Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
7340	Clear Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 7332

ProGuard® 808 Series - Safety Glasses

Protects your eyes from hazards materials including dust, chemicals, and liquids.

- Soft PVC body; adjustable elastic headband
- Fits over most prescription eyewear; one size fits all
- Lenses provide 99.9% UV protection
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
7320	Anti-Fog Chemical Goggle, Indirect Vent	12/ctn.; 12 ctn./mstr.	1 pair
7321	Chemical Goggle, Indirect Vent	12/ctn.; 12 ctn./mstr.	1 pair
7322	Anti-Fog Perforated Goggle, Direct Vent	12/ctn.; 12 ctn./mstr.	1 pair



▲ 7320

ProGuard® 810 Series - Safety Glasses

Full polycarbonate frame and lens with a superior scratch resistant coating.

- Lightweight, wrap-around design
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8001CC	Clear Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8100003	Indoor/Outdoor Lens/Indoor/Outdoor Frame	12/ctn.; 12 ctn./mstr.	1 pair
8100100	Clear Anti-Fog Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8103004	Blue Lens/Blue Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8001CC

ProGuard® 820 Series - Safety Glasses

Economical wrap-around single lens provides full panoramic view and protection.

- Integrated nose piece.
- Soft, non-slip rubber temple tips provides non-binding fit
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements
- AFX anti-fog coating prevents fogging 15 times longer than other anti-fog treatments

ITEM	COLOR	CASE QTY.	MIN. ORDER
8010	Clear Hard Coat Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8200003	Indoor/Outdoor Lens/Indoor/Outdoor Frame	12/ctn.; 12 ctn./mstr.	1 pair
8200100	Clear AFX Anti-Fog Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8202001	Gray Hard Coat Lens/Gray Frame	12/ctn.; 12 ctn./mstr.	1 pair
8202101	Gray AFX Anti-Fog Lens/Gray Frame	12/ctn.; 12 ctn./mstr.	1 pair
8204002	Amber Lens/Amber Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8200003



ProGuard[®] FIT

The **ProGuard Fit** line provides the right fit for the right job. **One-size-does-not-fit-all** where the workforce has become increasingly diverse. The Fit line includes glasses for smaller facial structures, options that are fully adjustable, and eyewear with integrated reading magnification. These features will deliver **improved comfort** and **functionality** that will support compliance and help to reduce eye injuries.

ProGuard® 810 Reader Series - Safety Glasses

Full polycarbonate frame and lens with a magnification lens insert.

- Magnification lens insert is strategically placed out of user's direct line of vision
- Lenses provide 99.9% UV protection
- Lightweight, wrap-around design
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8100300	Clear +1.5 Magnified Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8100400	Clear +2.0 Magnified Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8100500	Clear +2.5 Magnified Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8100300

ProGuard® 811 Series - Safety Glasses

Economical wrap-around single lens provides full panoramic view and protection.

- Integrated nose piece
- Soft, non-slip rubber temple tips provides non-binding fit
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8110000	Clear Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8110100	Clear Anti-Fog Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8110000

ProGuard® 821 Series - Safety Glasses

Full polycarbonate frame and lens designed to better fit smaller facial sizes.

- Economical wrap-around single lens provides full panoramic view
- Integrated nose piece
- Soft, non-slip rubber temple tips provides non-binding fit
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements
- (8210100) AFX anti-fog coating prevents fogging 15 times longer than other anti-fog treatments

ITEM	COLOR	CASE QTY.	MIN. ORDER
8003CCM	Clear Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8210100	Clear AFX Anti-Fog Lens/Clear Frame	12/ctn.; 12 ctn./mstr.	1 pair
8212001	Gray Lens/Gray Frame	12/ctn.; 12 ctn./mstr.	1 pair
8217007	Pink Lens/Pink Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8217007

ProGuard® 840 Reader Series - Safety Glasses

Rubberized temples and nose piece and a magnification lens insert.

- Magnification lens insert is strategically placed out of user's direct line of vision
- Built-in rubber nose piece provides all day comfort
- Ventilated, straight-back flexible temples provide cool, pressure-free fit
- Rubber temple tips keep eyewear secure for an active worker
- Includes black lanyard cord
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8401300	Clear +1.5 Magnified Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8401400	Clear +2.0 Magnified Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8401500	Clear +2.5 Magnified Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8401300



▲ 8501000

ProGuard® 850 Series - Safety Glasses

Allows wearers to customize the fit and feel to their exact preferences.

- Lens/Frame design allows air to flow freely up and away from the lens to prevent fogging
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements
- UFX frame features include an adjustable nose pad that conforms to broad range of bridge sizes, four adjustable temple lengths, and a ratcheting lens adjustment for proper lens angle

ITEM	COLOR	CASE QTY.	MIN. ORDER
8501000	Clear Lens/Black UFX Frame	12/ctn.; 12 ctn./mstr.	1 pair
8501001	Gray Lens/Black UFX Frame	12/ctn.; 12 ctn./mstr.	1 pair
8501003	Indoor/Outdoor Lens/Black UFX Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8805100

ProGuard® 880 Series - Safety Glasses

Inner foam padding provides unmatched comfort and protection.

- Flame resistant inner foam padding provides excellent protection from wind, dust and other debris
- Dual-injected straight-back temples provide a comfortable and secure fit against your head
- Built-in rubber nose piece
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8801100	Clear Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8801101	Gray Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8801106	Blue Mirror Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8801110	Light Gray Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8801112	Coffee Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8805100	Clear Anti-Fog Lens/Black and Red Frame	12/ctn.; 12 ctn./mstr.	1 pair
8805101	Gray Anti-Fog Lens/Black and Red Frame	12/ctn.; 12 ctn./mstr.	1 pair
8805111	Silver Mirror Lens/Black and Red Frame	12/ctn.; 12 ctn./mstr.	1 pair



ProGuard[®] **STYLE**

The **ProGuard Style** line is designed to increase compliance through mirroring **fashion** eyewear trends. Workers who are not comfortable with the style of their safety eyewear are more likely to remove it, even around hazardous conditions. The Style line is built for the individual on the **cutting edge** of fashion. These styles offer a great look that can be worn all day. This **encourages compliance** and will keep the wearer safe.



▲ 8301002

ProGuard® 830 Series - Safety Glasses

Curved lens and padded nose piece provide great protection and comfort.

- Nose buds secure the glass and prevent slipping while providing a pillow soft fit
- Curved lens provides full side protection without distracting seams
- Temples adjust to four different lengths
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements
- (830100) AFX anti-fog coating prevents fogging 15 times longer than other anti-fog treatments

ITEM	COLOR	CASE QTY.	MIN. ORDER
8301000	Clear Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8301001	Gray Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8301002	Amber Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8301003	Indoor/Outdoor Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
830100	Clear AFX Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8406005

ProGuard® 840 Series - Safety Glasses

Rubberized temples and nose piece provide a secure fit.

- Built-in rubber nose piece provides all day comfort
- Ventilated, straight-back flexible temples provide cool, pressure-free fit
- Rubber temple tips keep eyewear secure for an active worker
- Includes black lanyard cord
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8401000	Clear Coat Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8401003	Indoor/Outdoor Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
840100	Clear Anti-Fog Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
840101	Gray Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8405001	Gray Lens/Red Frame	12/ctn.; 12 ctn./mstr.	1 pair
8406005	Brown Lens/Camo Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8002SG

ProGuard® 860 Series - Safety Glasses

Vented frame and flexible temples provide increased airflow and a stylish look.

- Vented frame increases air flow to prevent fogging
- Built-in rubber nose pads provide comfort fit and protect against slipping
- Straight back flexible temples
- Lenses provide 99.9% UV protection
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8002CB	Clear Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8002GG	Gray Lens/Gray Frame	12/ctn.; 12 ctn./mstr.	1 pair
8002SG	Silver Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair



▲ 8708009

ProGuard® 870 Series - Safety Glasses

Encourages compliance by offering a great look and full protection.

- Rubber temple insert prevents eyewear from slipping to provide maximum performance
- Sporty dual lens style with wide temples provides full eye protection
- Lenses provide 99.9% UV protection
- Private labeling is available
- Exceeds ANSI Z87.1-2010 high impact requirements

ITEM	COLOR	CASE QTY.	MIN. ORDER
8701001	Gray Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8701008	Ice Orange Lens/Black Frame	12/ctn.; 12 ctn./mstr.	1 pair
8708001	Gray Lens/White Frame	12/ctn.; 12 ctn./mstr.	1 pair
8708009	Ice Blue Mirror Lens/White Frame	12/ctn.; 12 ctn./mstr.	1 pair



2840 Centennial Road
Toledo, Ohio 43617-1831

Phone: 419.841.2891

Toll Free: 800.333.1541

Fax: 800.333.1531

© 2015 Impact Products, LLC

Learn more about our eyewear at proguard.impact-products.com

EYECAT1509